

COMPACT HANGER

MANUAL

English



If you need any support with your
product please contact us at:
productsupport@gugaribas.com.br

ENGLISH VERSION:

INTRODUCTION

The compact hanger is the brand new innovation from GR Company!
Besides of being resistable and durable, occupies less space at the
belt, bringing confort and better performance! Follow the steps in this
manual in order to get the most out of your new product.

For your own safety, follow the instructions carefully.

To access information about our
manuals online, visit:
<http://gugaribas.com.br/en/manuals>



YOU RECEIVED:

1. Compact Hanger
2. Allen Key (3 mm)

1. FIXING AND REGULATING THE COMPACT HANGER

ATTENTION!

When you are inserting the Magnetic Magazine Pouch in the Compact Hanger you are dealing with a strong, powerful magnet. Keep it away from electronic and metallic devices. If you have more than one magnet, ensure that they are not close to each other, and that they are not getting stuck together eventually hurting your hand.

You received GR Company's Compact Hanger!

The hanger is compatible with the Standard Magazine Pouch and Magnetic Magazine Pouch*!

To insert your Standard Magazine Pouch or Magnetic Magazine Pouch to your Compact Hanger is easy:

- 1) Put together the Compact Hanger to your Magazine Pouch (pic 01 & 04).
- 2) Place and slide down the Magazine Pouch through the Compact Hanger (pic 02 & 05).
- 3) Tighten up the tightness disc that holds the Magazine Pouch to the Compact Hanger (pic 07).


*Standard and Magnetic Pouches are also adjustable to the old version of the hanger.



2. ADJUSTMENT IN THE BELT



- 1) Using the Allen Key, remove the hanger's screws (pic 08 & 09).
- 2) Put the body (A) on the outside of the belt with the opening turned up. (pic 10)
- 3) Using the smaller screw (P2), join the superior support insert (B), regarding the limit of the belt's edge as shown in the pictures 10 and 11.



- 4) Tight up softly the screw using the Allen Key, just for the body (A) to be placed not surpassing the belt's edge. (pic 11)
- 5) Join the inferior regulation insert (C) to the body (A) with the bigger screw (P1) then regulate its position to adapt to the belt's width. After that tight up the screw softly. (pic 11, 12 & 13)
- 6) Place the hanger at your favorite position in the belt. (pic 13).
- 7) Finish tightening the screws P1 & P2 (pic 13).
- 8) Done! Your Compact Hanger were regulated successfully! (pic 14)

CONGRATULATIONS!

Your GR Compact Hanger is ready
to be use!.



GUGA RIBAS
a better you